



ENZYME PREPARATION FOR INCREASING THE AROMA EXPRESSION OF WINES



DESCRIPTION AND APPLICATION

LALLZYME BETA™ is a microgranulated enzyme preparation, obtained from *Aspergillus niger*.

It's a highly specific enzyme containing pectinases activities and β -glucosidase activity and other glycosidases activities.

In wine the glycosidated aroma precursors are terpenes and norisoprenoides, both very important and with a great impact on wine aroma and quality.

The action of LALLZYME BETA™, due to its glycosidase activities, is to release the aglycone from the aroma precursor. The effect is the increase of aroma perception, due to the fact that the aglycone is a volatile molecule and, as such, perceptible to the nose, as opposed to its precursor.

LALLZYME BETA™ is a very powerful enzyme due to its complete range of balanced activities and to its effectiveness at wine pH.

The use of LALLZYME BETA™ in white, rosé and red still wines that contain varietal aroma precursors, such as terpenes and norisoprenoids.

A treatment with 5-10 g/hL of bentonite after the enzyme treatment is strongly suggested, in order to remove the enzyme from the wine and, in this way, stop its action at the right moment, when the best aroma expression is reached.

LALLZYME BETA™ MAIN BENEFITS

EFFICIENT REVELATION OF VARIETAL AROMA

COMPLETE RANGE OF ACTIVITIES FOR AROMA REVELATION

EASY TO USE AND TO TEST



INSTRUCTION FOR USE

Add LALLZYME BETA™ in finished wines.

The contact time is normally between 3 and 6 weeks and it strongly depends on the temperature and may be different for each wine.

Remove the enzyme at the end of the treatment with 5-10 g/hL of bentonite.

Low temperature tolerance at 13°C (55°F); the temperature influences the dosage of the enzyme and the treatment time.



DOSAGE

- ✓ **3.0-4.0 g/hL for standard conditions, at temperatures above 15°C (59°F)**
- ✓ **4.0-5.0 g/hL for lower temperature, from 13 to 15°C (55-59°F)**



NOTES

The enzyme activity is not affected by normal SO₂ additions

LALLZYME BETA™ is a protein, do not use bentonite during enzyme treatment

A preliminary test on a small quantity of wine is suggested for checking the aroma potential of the wine and the best contact time.



PACKAGING

**Plastic jars
of 100 g**



STORAGE

**Store LALLZYME BETA™ in a cool and dry place,
preferably between 5 and 15°C (41-59°F).**

LALLZYME BETA™ is a Lallemand recipe, formulated based on the results of research and trials performed by Lallemand and its research institute partners, in compliance with the most complete current legislation.

The information herein is true and accurate to the best of our knowledge; however, this data sheet is not to be considered as a guarantee, expressed or implied, or as a condition of sale of this product

Rev. January 2019